

CIMSTONE®

made of quartz, made for life



F U T A R

is the exclusive distributor of

CIMSTONE[®]

in Singapore

advantages

CIMSTONE®

made of quartz
resistant to acids and alkalis
splendid styles & designs
versatile
no more scratches
hygienic
eco-friendly
easy to clean



930 ares



936 olympos



100 hierapolis



220 artemis



240 klaros



936 olympos



955 barents



614 mirat



900 lapland



402 arcadia

colours



890 terra



815 smyrna




480 arena



306 oasis



328 nevers



332 lapaz



796 sines







870 tundra



870 tundra



930 ares



815 elvas



911 gharma



470 fuga



645 boreas

colours



985 efes



975 palmira



814 caldera




465 hermes




580 kromit




880 toros



759 savana



colours



147 recife



147 recife

kitchen
countertops



bathroom
vanity tops




laboratory
counters



reception
desks



indoor
flooring



indoor wall
cladding



indoor
staircases



indoor
window sills



tables and
stands



coffee
tables




area of uses



936 olympos / 870 tundra

slab sizes

slab formats for countertops



all colours in our collection range are available in slab formats
slabs of 3cm thickness can be indented upon early request



30x30
cm

thickness




1.0cm



1.2cm




2.0cm



30x60cm

thickness



1.2cm



2.0cm



60x60cm

thickness



1.2cm



2.0cm

available colours:

147 recife

306 oasis

328 nevers

332 lapaz

402 arcadia

614 mirat

645 boreas

759 savana

796 sines

811 elvas

814 caldera

900 lapland

*colours not stated here are not advisable for floor usage

profiles

20mm
basic
profile edges



straight flat polished



chamfered



half bullnose



round (5mm, 1/4)

20mm
premium
profile edges



bevelled (10mm)



double bevelled



full bullnose



ogee

40mm
laminated
profile edges



40mm flat polished



40mm chamfered




40mm half bullnose




40mm round (5mm, 1/4)




40mm bevelled (10mm)



40mm double bevelled



40mm full bullnose



40mm ogee








40mm mitered edge



100 hierapolis

indicative technical specifications*

	TEST	TEST METHOD	TEST RESULT
	impact resistance	TS EN 14627-9	1.2cm thickness – min. 2 joule 2.0cm thickness – min. 3 joule
	flexural strength	TS EN 14617-2	40-70 N/mm ²
	abrasion resistance	TS EN 14617-4	max. 30mm
	water absorption	TS EN 14617-1	max. 0.1%
	reaction to fire	TS EN 13501-1	A2 fl, S1

**test results may vary according to product properties*



easy to care for and maintains its natural luster as on the first day

Like all fine materials, Çimstone responds best when handled with due care and attention. Remember, it is easier to wipe up a spill than it is to handle a dried on stain. Just wipe away any spilled food before it turns into a permanent stain.

Remember that detergents containing bleach and hard scouring granules may harm surfaces over time. Therefore, pay due attention in your detergent selection by never using cleaning products that contain soft or hard scouring granules such as Vim Scouring Powder or Cif Cream.

Products with pH close to neutral or with reduced pH effect (general cleaning products which may be commercially available on shelves) may be used at all times. However, prolonged contact with decalcifiers and products containing decalcifying agents as well as oil solvents and products containing oil solvent must be avoided.

Gently scrape away with a plastic spatula any spills of paint, nail enamel, chewing gum, mustard and grease that become too hard to remove when dried. Then cleanse the surface with water.

Quartz, being one of the hardest minerals on Earth, offers Çimstone an unparalleled strength and durability that prevent easy scratching and damage. Still, as with any surface, Çimstone can be permanently damaged by exposure to strong forces that undermine its physical properties. In order for your countertop to maintain its good looks for many years, always use a bread/chopping board and a tablemat (trivet).

daily cleaning

TOOLS FOR CLEANING	a damp cotton cloth, ScotchBrite (3M) soft Scour Sponge
LIQUIDS FOR CLEANING	pure water, liquid or spray detergents, non abrasive liquid household cleanser
METHOD FOR CLEANING	clean surface with damp cloth and little liquid/gel detergent and cleanse off residue with water

examples of proper cleaning agents for specific stain types:

DRIED-ON SPILLS	STUBBORN STAINS	RUST/LIME STAINS	GREASE RESIDUES
Cif Power Spray by Unilever Mr Muscle Kitchen Spray by Johnson Wax Scrub with a blue ScotchBrite (3M) Soft Scour Sponge and cleanse thoroughly with water	Concentrated Domestos Thick Bleach* by Unilever Mr. Proper Active Gel* by Procter & Gamble Apply directly on stain and thoroughly rinse with water after treatment	Marc Deo Lime and Rust Removing Gel by Reckitt Benckiser Cillit Bang Anti-Kalk by Reckitt Benckiser Apply directly on stain and thoroughly rinse with water after treatment	Ajax Spray & Wipe by Colgate Palmolive Mr. Muscle Kitchen Spray by Johnson Wax Apply directly on stain and thoroughly rinse with water after treatment

CAUTION

- * Never leave countertop to dry without thoroughly rinsing away any residual agent.
- * Due to structural characteristic in its production, attention must be paid during the use of and cleaning with products bearing the code 100 Hierapolis.
- * The above mentioned cleaning agents should never be mixed and applied on the surface.

simple cleaning for a sustainable hygiene

FOR THE LONGEVITY OF YOUR ÇİMSTONE COUNTERTOP, AVOID USING LIST OF CHEMICALS BELOW

- Alkali products containing active hydroxide, such as drain openers.
- Chlorinated solvents such as trichloroethylene or methylene chloride, such as paint thinner or strippers.
- Prolonged contact with extremely strong concentrated chemicals must be avoided.

In case of any accidental exposure to any of these damaging products, wipe up material immediately and rinse the surface thoroughly with plenty of clean water. Repeat if necessary.

NSF

Çimstone is compliant with the National Sanitation Foundation confirming that Çimstone surfaces used as kitchen countertops comply with NSF 51 standards for Food Equipment regulating "Safe materials for splash zone for all food types."



Çimstone has ISO 9001: 2008 Quality Management System certificate by the International Organization for Standardization.

EN

To assure the highest quality products, Çimstone applies European Standards for its production and quality control methods. Slabs are being produced according to "TS-EN 15388 Agglomerated Stone – Slabs and Cut-to-Size Products for Vanity and Kitchen Tops" standards. Tiles are being produced according to "TS-EN 15285 Agglomerated Stone – Modular Tiles for Floorings and Stairs" standards. We are proud to offer highest quality products all the time.



Çimstone provides absolute customer satisfaction by backing its products with a 100% corporate assurance throughout sales and after sales processes. We provide a 10 year manufacturing defect warranty for countertop surfaces used for residential purposes.

certificates



